	REVISION:	02						EN	GINEERING	DATA	LÍS	T	· A A A C		* HISTORY *
DATE	: 24JUN03	DATA TECH:	DH		ORGN	SYMB	OL:	L	GECB	PR NR:			APPLICATION: C-5A,B,C	PAGE	1 OF 2
CAGE 988	1	RER NAME: CORP LOCKHEI		E O D	CIA CC		R	EFE	RENCE NR: 4P22117-2	1 230A		NOUN:	COWLING	NSN	1 1560013333494UC
		G NUMBER		REV	NR	NR		DIST	NOUN NOUN			<u> </u>	REMARKS		130001333343400
CAGE 98897	4P22117		7	, K	SHEETS 0004	CARDS 0000	CODE	CODE			-239A				
	4P00102	- · · · · · · · · · · · · · · · · · · ·	7	М	0002	0000	S				REFERE	ICE .			-
98897	4R40001		/	В	0133	0000	S	С			REFERE	NCE			
98897	4P23074	Mond I	/	В	0001	0000	s					·			
98897	4P23075		/	Α	0001	0000	s					, .	3		
98897	4P23076		/	Α	0001	0000	s								<u> </u>
98897	4P23084		/	В	0001	0000	s		-			,			
98897	4P23144		/	С	0001	0000	s						7917.		
98897	4P23177		/	Α	0001	0000	s								
98897	STSAD004		/ -		0001	0000	s						J		
98897	4P23083		/	A	0001	0000	s					_			
98897	STP54-101		/	W	0022	0000	s	D							
98897	STP60-401		/	J	0009	0000	s								
98897	DS30002		/		0000	0000					SUPERS	EDED BY 05	81		
98897	0581		/	AD	0063	0000	s	D							
98897	STP56-107	· · · · · · · · · · · · · · · · · · ·	/	М	0027	0000	s	ļ							
98897	STP59-204		/	В	0009	0000	S	ļ			USE FO	R FINISH "	-54"		
98897	DS30000		/	R	0009	0000	s	С							
98897	STP63-001 & (ACC) V01J	/	P	0020	0000	s	С							
98897	7 DS30004		/	<u> </u>	0000	0000					USE ST	P51-302 IN	N LIEU OF DS30004		
98897	STP51-302		/	W	0043	0000	s	D							
	7 STM22-602		/	F	0012	0000	s				_				
	STP51-402		/	G	8000	0000	s	<u> </u>						11.1	
98897	7 ER8296		/	K	0010	0000	s								
	7 STM30-104		/	F	0010	0000	s								
 	7 STP60-301		/	К	0048	0000	 	ļ							
	7 STP58-301	,	/	D	0004	0000	 				USE FO	R FINISH "	'M"		
	7 STP58-209			Г	0012	0000	+			ž.	USE FO	R FINISH "	'A"		
	7 STP60-505			Т	0018	0000	—	С	•						
98897	7 LS39791		/	A	0001	0000	s								

	REVISI	ON: 02	s e la				2 2 E 218)	EV	NGINEERING DATA	* LUCTORY *
		DATA TROLL.			ORGN		BOI.			
	24JUN0	3	DH	I	CINOIN	i OTIM	برب		LGECB PR NR:	APPLICATION: PAGE C-5A,B,C 2 OF 2
CAGE		ACTURER NAME:		· · · · · ·				REFE	ERENCE NR:	NOUN: NSN:
9889	7 LOCKI	IEED CORP LOCKH	EED-	GEO	RGIA CO	C			2117-239A	COWLING 1560013333494UC
CAGE	DRA	NING NUMBER	. 1	REV	NR SHEETS			DIST		REMARKS
98897	STM28-102		1		0000	0000				CANCELLED, USE MIL-C-7438
98897	MIL-C-7438		1/-	- G	0000	0000	0		of the second second	PUBLICATION DATE: 26 FEBRUARY 2002
98897	DS5025		/	AB	0025	0000	s			
98897	STP53-201		/	L	0007	0000	S	С		
Į.	LS39790		/	A	0001-	0000	S	-		
98897	LS39796		/		0001	0000	S			
98897	LS39799		. /	A	0001	0000	s			
98897	LS60232		/		0001	0000	s			
				<u> </u>						
				_		<u> </u>				
				1		<u> </u>				
				-	ļ	ļ	-	ļ		
ļ				-	_	ļ	_	ļ		
		<u> </u>		ļ		-	ļ	ļ.,	and the second s	
				1	-		-	ļ		
				 		-	<u> </u>	-		
				-	-		-	ļ		
	The same			<u> </u>		<u> </u>				

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL PATA PACKAGE, UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED. BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

	ENGINEERING D	AŢA	LIST	REQU	UIREMENTS
--	---------------	-----	------	------	-----------

FURNISHED METHOD CODE LEGEND:

- C CLASSIFIED DOCUMENT.
- S FURNISHED WITH SOLICITATION.
- M STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
- X DATA SUPPLIED (NOT IN EDCARS). G GOV'T DOCUMENT.
- R FURNISHED BY PCD UPON REQUEST. O OTHERS, CONTRACTOR P -- - PARTIAL DOCUMENT FURNISHED.
 - MUST ACQUIRE.
- V VENDOR DRAWING; (NOT PROVIDED)
- A DATA NOT AVAILABLE.

				E17	Gli	EERING DATA	A LIST * HISTORY*
DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	CODE	NOUN ·	REMARKS
			ļ				
				 			
	\vdash			-			
	 		 	 	 		
	1	 	1	1	 		
	1		1	1	 		
		 		_	 		
	+	 	-	-	 		
<u> </u>	 	- 	-	-∤	 		
		 		 -	1—	<u> </u>	
	+-		┪╌	`			
 	╅┈	 	1	 	 		
				SHEETS CARDS	SHEETS CARDS CODE	SHEETS CARDS CODE CODE	SHEETS CARDS CODE CODE

STANDARD ENGINEERING TEXT

THIS DATA MAY BE RELEASED BY CONTRACTING PERSONNEL AS PART OF THE SOLICITATION TO ANY INDIVIDUAL OR FIRM WHICH REQUESTS A COPY OF THE RFF. PROVIDED THE RECIPIENT IS EITHER A QUALIFIED U.S. CONTRACTOR WITH AN APPROVED DD FORM 2345 OR A FOREIGN SOURCE AUTHORIZED TO RECEIVE THE DATA BY THE STATE DEPARTMENT'S MUNITION CONTROL OFFICE. THE FOLLOWING GOVERNS THESE RECIPENTS' USE OF THE DATA: THE DATA MAY BE USED AND DISSEMINATED AS NECESSARY, AND ONLY AS NECESSARY, BY AN INDIVIDUAL OR ENTERPRISE, IN CON-NECTION WITH THE ACQUISITION TO WHICH THIS EDL RELATES, TO DETERMINE WHETHER OR NOT TO SUBMIT A PROPOSAL TO SUBMIT A PROPOSAL AND/OR TO PERFORM UNDER ANY RESULTING CONTRACT, AS EITHER A PRIME CONTRACTOR OR SUB-CONTRACTOR AT ANY TIER. THE DATA MUST BE DESTROYED WHEN INVOLVEMENT IN THE ACQUISITION PROCESS ENDS. THE DATA MAY ONLY BE DISSEMINATED TO INDIVIDUALS OR ENTERPRISES ELIGIBLE TO OBTAIN EXPORT-CONTROLLED TECHNICAL DATA IN ACCORDANCE WITH THE LAWS AND REGULATIONS OF THE U.S. GOVERNMENT.

ALL DATA SHOWN AS UNMARKED IN THE DISTRIBUTION CODE COLUMN IS HEREBY ASSIGNED DISTRIBUTION CODE C, "DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND THEIR CONTRACTORS; (CRITICAL TECHNOLOGY); (EFFECTIVE DATE OF THIS PROCEDURE, 06 DEC 94)." OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO TILC. PRIOR TO ANY FURTHER DISSEMINATION OF THE DATA IN-TERNALLY WITHIN YOUR HUSINESS OR TO EXTERNAL SOURCES, REGARDLESS OF THE MEDIUM OR FORM OF DISTRIBUTION, ALL MARKINGS AND APPLICABLE EXPORT-CONTROL WARNING NOTICES MUST BE APPLIED TO ANY UNMARKED DATA IN ACCORDANCE WITH MIL-STD-1806.

ENGINEERING DATA LIST REQUIREMENTS

- C CLASSIFIED DOCUMENT.
- 8 FURNISHED WITH SOLICITATION.
- M STABLE BASE DRAWING REQUIRED. V VENDOR DRAWING:
- FURNISHED WITH CONTRACT AWARD. (NOT PROVIDED)
- FURNISHED METHOD CODE LEGEND: X-DATA SUPPLIED (NOT IN EDCARS).
 - P PARTIAL DOCUMENT FURNISHED.

 - **G-GOV'T DOCUMENT.** R - FURNISHED BY PCO UPON REQUEST. O - OTHERS, CONTRACTOR
 - MUST ACQUIRE.
 - A-DATA NOT AVAILABLE.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT- CONTROLLED TECHNICAL DATA

If you print or display an abstract of any unclassified report marked EXPORT CONTROL, the following notice applies.

- 1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulations (ITAR), or the Department of Commerce for items controlled by the Export Administration Regulations (EAR), may constitute a violation of law.
- 2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2410, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.
- 3. In accordance with your certification that establishes you as a "qualified U.S. contractor," unauthorized dissemination of this information is prohibited and may result in disqualification as a qualified U.S. contractor, and may be considered in determining your eligibility for future contracts with the Department of Defense.
- 4. The U.S. Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.
- 5. The U.S. Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.
- 6. The U.S. Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.
- 7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.
- 8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified U.S. contractors.

10 U.S.C. 140c (DoD Directive 5230.25 (Encl 5)